

Braidman

Braidman

南通博峰机械有限公司
Nantong Braun Machinery Co., Ltd.



Braiding Carriers / Spindles

Nantong Braun Machinery Co., Ltd.

Office: Room 901-903, Office Building, Phoenix Cultural Plaza, Chongchuan District,
Nantong, Jiangsu, China 226001

Factory: No. 327, Taishan West Road, Yuelai Town, Haimen, Jiangsu, China 226131
<http://www.braidman.cn>

Tel: (+86)513-51013985

Fax: (+86)513-85911075 EXT 808

Mbl/WhatsApp: +8618015228175

Skype: braun.i

Wechat: ntbraun

Email: braun@braunholdings.com sales@braunholdings.com braun.song@hotmail.com





南通博峰机械有限公司
Nantong Braun Machinery Co., Ltd.



南通博峰机械有限公司
Nantong Braun Machinery Co., Ltd.

NANTONG BRAUN MACHINERY CO., LTD. With the ownership of Trademark 'Braidman' is a professional manufacturer and supplier in China, focusing on developing, manufacturing and marketing High-Quality Braiding Carriers / Spindles.

We have developed hundreds of braiding carriers and our braiding carriers can be used on every manufacturers' braiding machines.

Our company is equipped with complete facilities, we have our own moulding center and can design and manufacture the braiding carrier moulds ourselves; Moreover, our company runs strictly according ISO9001 quality control system to ensure the development, production, sales and after-sales service.

With the philosophy of 'A Passion for Excellence', we insist on innovation, superior service and continuously improving our Braiding Carriers to meet customers' requirements. Our Braiding Carriers have been sold to USA, Morocco, Tunisia, India, etc and get good reputation.

We warmly welcome you to visit us for business discussion or cooperation.

Our Philosophy:

A Passion for Excellence.

Our Technical Support:

When you need more technical information, you can rely on the expertise of our technical support specialists. They would be happy to give you information on:

- braiding carrier specifications
- braiding carrier performance

Our Customer Service:

We have a first-rate customer service department trained to provide you with accurate answers to all your part questions.

Call us (Mbl: 0086-18015228175) or write to us for:

- Accurate pricing and availability
- Shipping status
- After-sales service

Contents

E80, E90 BRAIDING CARRIERS	
.....	03
E100 SERIES BRAIDING CARRIERS	
.....	04
WIRE BRAIDING CARRIERS	
.....	05
HIGH SPEED BRAIDING CARRIERS	
.....	06
BRAIDING ACCESSORIES	
.....	07
HEAVY DUTY CARRIERS	
.....	08
ABS BOBBINS	
.....	09
HIGH SPEED BRAIDING MACHINES	
.....	10

E80, E90 BRAIDING CARRIERS



E80



E90

Types	Bobbin Size
E80	Φ34 x 98.5 mm
E90	Φ42 x 114 mm



E100 SERIES BRAIDING CARRIERS



E100



E100+



E100R



E100+M



E100MR

Types	Bobbin Size
E100	Φ42 x 133 mm
E100R	Φ42 x 133 mm
E100MR	Φ42 x 133 mm
E100+	Φ42 x 133 mm
E100+M	Φ42 x 133 mm

WIRE BRAIDING CARRIERS



Types	Bobbin Size
CA1	Φ44 x 48 mm
CA2	Φ44 x 85 mm
CA	Φ55 x 92 mm
CE	Φ55 x 163 mm
CB	Φ58 x 180 mm
BF	Φ65 x 210 mm
C	Φ85 x 280 mm
E	Φ130 x 400 mm
F	Φ250 x 600 mm
G	Φ350 x 800 mm

More sizes' carriers are available on demand.

HIGH SPEED BRAIDING CARRIERS



Types	Bobbin Size
S	Φ42 x 110 mm
S+	Φ42 x 110 mm
AA	Φ43 x 113 mm
AAA	Φ42 x 143 mm
A	Φ48 x 140 mm
AB ₂ ¹	Φ55 x 180 mm
B	Φ70 x 210 mm
CR	Φ85 x 280 mm
C1	Φ70 x 320 mm
C2	Φ70 x 330 mm
CD	Φ87 x 322 mm
D1	Φ85 x 330 mm
D2	Φ100 x 320 mm
D	Φ100 x 330 mm

More sizes' carriers are available on demand.

BRAIDING ACCESSORIES




HEAVY DUTY CARRIERS



Types	Bobbin Size	Capacity
HD1	Φ80 x 167 mm	3 kg
HD2	Φ85 x 222 mm	6 kg

Drawing Tension of Steel Wire:10Kg
More sizes' carriers are available on demand.




ABS BOBBINS



Max. speed: 3000rpm

Blance ability:>G6.3

Collecting speed: 40~60 m/s



Types	d1	d2	d3	d4	l1	l2	Product quality	Maximum load
250	250	80	125	36	190	160	1.3	10
310	310	80	130	36	230	200	3.0	20
400	400	142	200	56	300	250	5.0	40
500-1	500	142	200	56	300	250	8.5	70
500-2	500	142	250	56	300	250	9.0	70
630	630	142	315	56	475	400	14.0	120
800	800	320	400	80	600	500	30.0	300
1000	1000	320	500	80	750	630	50.0	550

HIGH-SPEED BRAIDING MACHINES

High-speed braiding machines for producing the ropes & belts of the round, flat, core yarn, curve edge, elasticity and other X cross types.

